

(viii) C_1-C_6 -thioalkoxy - C_1-C_6 - alkyl or benzyl- S - C_1-C_6 - alkyl, (ix) C_1-C_6 - alkylamino, (x) di - C_1-C_6 - alkylamino, (xi) phenyl wherein the phenyl ring is unsubstituted or substituted with a substituent selected from halo, C_1-C_6 - loweralkyl, hydroxy, C_1-C_6 - alkoxy, benzyloxy, C_1-C_6 - thioalkoxy and benzyl-S-, (xii) phenyl - C_1-C_6 - alkyl wherein the phenyl ring is unsubstituted or substituted as defined above, (xiii) di - C_1-C_6 - alkylamino - C_1-C_6 - alkyl, (xiv) C_1-C_6 - alkoxy or benzyloxy and (xv) C_1-C_6 - thioalkoxy or benzyl-S-;

n is 1, 2 or 3;

R₂ is hydrogen or C_1-C_6 - loweralkyl;

R₃ is C_1-C_6 - loweralkyl;

R₄ and R_{4a} are independently selected from phenyl and substituted phenyl wherein the phenyl ring is substituted with a substituent selected from

(i) halo, (ii) C_1-C_6 - loweralkyl, (iii) hydroxy, (iv) C_1-C_6 - alkoxy or benzyloxy and (v) C_1-C_6 - thioalkoxy or benzyl-S-;

R₆ is hydrogen or C_1-C_6 - loweralkyl;

R₇ is thiazolyl or oxazolyl wherein the thiazolyl or oxazolyl ring is unsubstituted or substituted with C_1-C_6 - loweralkyl;

X is hydrogen and Y is -OH or X is -OH and Y is hydrogen, with the proviso that X is hydrogen and Y is -OH when Z is -N(R₈)- and R₇ is unsubstituted and with the proviso that X is hydrogen and Y is -OH when R₃ is methyl and R₇ is unsubstituted; and

Z is absent, -O-, -S-, -CH₂- or -N(R₈)- wherein R₈ is C_1-C_6 - loweralkyl, C_3-C_7 - cycloalkyl, -OH or -NHR_{8a} wherein R_{8a} is hydrogen, C_1-C_6 - loweralkyl or an N-protecting group, or a pharmaceutically acceptable salt [, ester or prodrug] thereof [, wherein the acyl residue of the ester is (i) R^{*}C(O)- or R^{*}C(S)- wherein R^{*} is hydrogen, C_1-C_6 - loweralkyl, halo - C_1-C_6 - alkyl,

C_1-C_6 - alkoxy, benzyloxy, C_1-C_6 - thioalkoxy, benzyl-S-, C_1-C_6 - alkoxy - C_1-C_6 - alkyl, benzyloxy - C_1-C_6 - alkyl, C_1-C_6 - thioalkoxy - C_1-C_6 - alkyl, benzyl-S- C_1-C_6 - alkyl or halo - C_1-C_6 - alkoxy, (ii) R_a-C(R_b)(R_d)-C(O)- or R_a-C(R_b)(R_d)-C(S)- wherein R_b and R_d are independently selected from hydrogen or C_1-C_6 - loweralkyl and R_a is -N(R_e)(R_f), -OR_e or -SR_e wherein R_e and R_f are independently selected from hydrogen, C_1-C_6 - loweralkyl and halo - C_1-C_6 - alkyl,


(iii) R₁₈₀NH(CH₂)₂NHCH₂C(O)- or R₁₈₀NH(CH₂)₂OCH₂C(O)- wherein R₁₈₀ is hydrogen, C_1-C_6 - loweralkyl, benzyl, C_3-C_7 - cycloalkyl - C_1-C_6 - alkyl,

E1
cont
Q1
cont

C_1-C_6 -alkanoyl or benzoyl, (iv) $-C(O)CH_2NR_{200}R_{201}$ wherein the group $-NR_{200}R_{201}$ forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,

(v) H_2O_3P- or (vi) $-C(O)CH_2CH_2COOH$ and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula $-CH(R_g)OC(O)R_{181}$ or $-CH(R_g)OC(S)R_{181}$ wherein R_{181} is C_1-C_6 - loweralkyl, halo - C_1-C_6 - alkyl, C_1-C_6 - alkoxy, benzyloxy, C_1-C_6 - thioalkoxy, benzyl-S- or halo - C_1-C_6 - alkoxy and R_g is hydrogen, C_1-C_6 - loweralkyl, halo - C_1-C_6 - alkyl, C_1-C_6 - alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl, C_1-C_6 - alkylaminocarbonyl or di - C_1-C_6 - alkylaminocarbonyl] .

2. (three times amended) A compound of the formula:



wherein R_1 is monosubstituted thiazolyl or monosubstituted oxazolyl wherein the substituent is selected from (i) C_1-C_6 - loweralkyl, (ii) C_2-C_6 - loweralkenyl, (iii) C_3-C_7 - cycloalkyl,

(iv) C_3-C_7 - cycloalkyl - C_1-C_6 - alkyl, (v) C_5-C_7 - cycloalkenyl, (vi) C_5-C_7 - cycloalkenyl - C_1-C_6 - alkyl, (vii) C_1-C_6 - alkoxy - C_1-C_6 - alkyl or benzyloxy - C_1-C_6 - alkyl,

(viii) C_1-C_6 - thioalkoxy - C_1-C_6 - alkyl or benzyl-S - C_1-C_6 - alkyl, (ix) C_1-C_6 - alkylamino,

(x) di - C_1-C_6 - alkylamino, (xi) phenyl wherein the phenyl ring is unsubstituted or substituted with a substituent selected from halo, C_1-C_6 - loweralkyl, hydroxy, C_1-C_6 - alkoxy, benzyloxy,

C_1-C_6 - thioalkoxy and benzyl-S-, (xii) phenyl - C_1-C_6 - alkyl wherein the phenyl ring is unsubstituted or substituted as defined above, (xiii) di - C_1-C_6 - alkylamino - C_1-C_6 - alkyl,

(xiv) C_1-C_6 - alkoxy or benzyloxy and (xv) C_1-C_6 - thioalkoxy or benzyl-S-;

n is 1 ;

R_2 is hydrogen or C_1-C_6 - loweralkyl;

R_3 is C_1-C_6 - loweralkyl;

R_4 is phenyl wherein the phenyl ring is unsubstituted or substituted with a substituent selected from (i) halo, (ii) C_1-C_6 - loweralkyl, (iii) hydroxy, (iv) C_1-C_6 - alkoxy or benzyloxy and (v) C_1-C_6 - thioalkoxy or benzyl-S-;

R_6 is hydrogen or C_1 - C_6 -loweralkyl;

~~R⁷ is thiazolyl or oxazolyl wherein the thiazolyl or oxazolyl ring is unsubstituted or substituted with C₁-C₆-loweralkyl;~~

X is hydrogen and Y is -OH ;

Z is absent, -O-, -S-, -CH₂- or -N(R₈)- wherein R₈ is C₁-C₆-loweralkyl, C₃-C₇-cycloalkyl, -OH or -NHR_{8a} wherein R_{8a} is hydrogen, C₁-C₆-loweralkyl or an N-protecting group; or a pharmaceutically acceptable salt [, ester or prodrug] thereof [, wherein the acyl residue of the ester is (i) R^{*}C(O)- or R^{*}C(S)- wherein R^{*} is hydrogen, C₁-C₆-loweralkyl, halo-C₁-C₆-alkyl,

C₁-C₆-alkoxy, benzyloxy, C₁-C₆-thioalkoxy, benzyl-S-, C₁-C₆-alkoxy-C₁-C₆-alkyl, benzyloxy-C₁-C₆-alkyl, C₁-C₆-thioalkoxy-C₁-C₆-alkyl, benzyl-S-C₁-C₆-alkyl or halo-C₁-C₆-alkoxy,

(ii) $R_A-C(R_B)(R_D)-C(O)-$ or $R_A-C(R_B)(R_D)-C(S)-$ wherein R_B and R_D are independently selected from hydrogen or C_1-C_6 -loweralkyl and R_A is $-N(R_E)(R_f)$, $-OR_E$ or $-SR_E$ wherein R_E and R_f are independently selected from hydrogen, C_1-C_6 -loweralkyl and halo- C_1-C_6 -alkyl,

(iii) $R_{180}NH(CH_2)_2NHCH_2C(O)-$ or $R_{180}NH(CH_2)_2OCH_2C(O)-$ wherein R_{180} is hydrogen, C_1-C_6 -loweralkyl, benzyl, C_3-C_7 -cycloalkyl - C_1-C_6 -alkyl,

C₁- C₆- alkanoyl or benzoyl, (iv) -C(O)CH₂NR₂₀₀R₂₀₁ wherein the group -NR₂₀₀R₂₀₁ forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl.

(v) $\text{H}_2\text{O}_3\text{P-}$ or (vi) $-\text{C}(\text{O})\text{CH}_2\text{CH}_2\text{COOH}$ and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula $-\text{CH}(\text{R}_g)\text{OC}(\text{O})\text{R}_{181}$ or $-\text{CH}(\text{R}_g)\text{OC}(\text{S})\text{R}_{181}$ wherein R_{181} is C_1 - C_6 - loweralkyl, halo - C_1 - C_6 - alkyl, C_1 - C_6 - alkoxy, benzyloxy, C_1 - C_6 - thioalkoxy, benzyl-S- or halo - C_1 - C_6 - alkoxy and R_g is hydrogen, C_1 - C_6 - loweralkyl, halo - C_1 - C_6 - alkyl, C_1 - C_6 - alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl, C_1 - C_6 - alkylaminocarbonyl or di - C_1 - C_6 - alkylaminocarbonyl] .

9. (twice amended) (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane; or a pharmaceutically acceptable salt [], ester or prodrug [], wherein the acyl residue of the ester is (i) R^{*}C(O)- or R^{*}C(S)- wherein R^{*} is hydrogen, C₁-C₆- loweralkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, benzyloxy, C₁-C₆-thioalkoxy, benzyl-S-, C₁-C₆-alkoxy-C₁-C₆-alkyl,

benzyloxy - C₁-C₆- alkyl, C₁-C₆- thioalkoxy - C₁-C₆- alkyl, benzyl-S- C₁-C₆- alkyl or halo - C₁-C₆- alkoxy,
 (ii) R_a-C(R_b)(R_d)-C(O)- or R_a-C(R_b)(R_d)-C(S)- wherein R_b and R_d are independently selected from hydrogen or C₁-C₆- loweralkyl and R_a is -N(R_e)(R_f), -OR_e or -SR_e wherein R_e and R_f are independently selected from hydrogen, C₁-C₆- loweralkyl and halo - C₁-C₆- alkyl,
 (iii) R₁₈₀NH(CH₂)₂NHCH₂C(O)- or R₁₈₀NH(CH₂)₂OCH₂C(O)- wherein R₁₈₀ is hydrogen, C₁-C₆- loweralkyl, benzyl, C₃-C₇- cycloalkyl - C₁-C₆- alkyl, C₁-C₆- alkanoyl or benzoyl, (iv) -C(O)CH₂NR₂₀₀R₂₀₁ wherein the group -NR₂₀₀R₂₀₁ forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,
 (v) H₂O₃P- or (vi) -C(O)CH₂CH₂COOH and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula -CH(R_g)OC(O)R₁₈₁ or -CH(R_g)OC(S)R₁₈₁ wherein R₁₈₁ is C₁-C₆- loweralkyl, halo - C₁-C₆- alkyl, C₁-C₆- alkoxy, benzyloxy, C₁-C₆- thioalkoxy, benzyl-S- or halo - C₁-C₆- alkoxy and R_g is hydrogen, C₁-C₆- loweralkyl, halo - C₁-C₆- alkyl, C₁-C₆- alkoxy carbonyl, benzyloxy carbonyl, aminocarbonyl, C₁-C₆- alkylaminocarbonyl or di - C₁-C₆- alkylaminocarbonyl] .

19. (three times amended) A compound selected from the group consisting of:

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)-amino)carbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;
 (2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;
 (2S,3S,5S)-2-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;
~~(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;~~
 (2S,3S,5S)-5-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)-valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;
 (2S,3S,5S)-2-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)-valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;
 (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane; and
 (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;
 or a pharmaceutically acceptable salt [, ester or prodrug] thereof [, wherein the acyl residue of the ester is (i) R^{*}C(O)- or R^{*}C(S)- wherein R^{*} is hydrogen, C₁-C₆- loweralkyl, halo - C₁-C₆- alkyl, C₁-C₆- alkoxy, benzyloxy, C₁-C₆- thioalkoxy, benzyl-S-, C₁-C₆- alkoxy - C₁-C₆- alkyl, benzyloxy - C₁-C₆- alkyl, C₁-C₆- thioalkoxy - C₁-C₆- alkyl, benzyl-S- C₁-C₆- alkyl or halo - C₁-C₆- alkoxy,
 (ii) R_a-C(R_b)(R_d)-C(O)- or R_a-C(R_b)(R_d)-C(S)- wherein R_b and R_d are independently selected from

hydrogen or C_1-C_6 - loweralkyl and R_a is $-N(R_e)(R_f)$, $-OR_e$ or $-SR_e$ wherein R_e and R_f are independently selected from hydrogen, C_1-C_6 - loweralkyl and halo - C_1-C_6 - alkyl,

(iii) $R_{180}NH(CH_2)_2NHCH_2C(O)-$ or $R_{180}NH(CH_2)_2OCH_2C(O)-$ wherein R_{180} is hydrogen, C_1-C_6 - loweralkyl, benzyl, C_3-C_7 - cycloalkyl - C_1-C_6 - alkyl,

C_1-C_6 - alkanoyl or benzoyl, (iv) $-C(O)CH_2NR_{200}R_{201}$ wherein the group $-NR_{200}R_{201}$ forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,

(v) H_2O_3P- or (vi) $-C(O)CH_2CH_2COOH$ and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula $-CH(R_g)OC(O)R_{181}$ or $-CH(R_g)OC(S)R_{181}$ wherein R_{181} is C_1-C_6 - loweralkyl, halo - C_1-C_6 - alkyl, C_1-C_6 - alkoxy, benzyloxy, C_1-C_6 - thioalkoxy, benzyl-S- or halo - C_1-C_6 - alkoxy and R_g is hydrogen, C_1-C_6 - loweralkyl, halo - C_1-C_6 - alkyl, C_1-C_6 - alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl, C_1-C_6 - alkylaminocarbonyl or di - C_1-C_6 - alkylaminocarbonyl] .

13

32.1 (amended) A compound selected from the group consisting of:

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclohexyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,1-dimethyl)ethyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclopentenyl)-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)-methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclohexenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclopentenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclohexenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl-1-propenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

17
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl-1-propenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

103
cont
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,2-dimethyl-1-propenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclopentyl)methyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclohexyl)methyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-phenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-benzyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-phenyl)ethyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(4-fluoro)phenyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-chloro)phenyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓
(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-methoxy)phenyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-methoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(N,N-dimethylamino)methyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-propyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl)propyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl)propyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-ethyl)propyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Ethyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Cyclopropyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((1-(2-Isopropyl-4-thiazolyl)ethoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Cyclopropyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

103
cont

30
171

(2S,3S,5S)-5-(N-(N-((4-Isopropyl-2-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(N,N-Diethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-(((N,N-dimethylamino)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(methoxymethyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((2-methyl-5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)thiomethoxycarbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((3-(2-Isopropyl-4-thiazolyl)propanoyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-(1-(5-thiazolyl)ethoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-5-(N-((2-methyl-5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopentyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclohexyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,1-dimethyl)ethyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclobutyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopropyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

Q3
cont

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclopentenyl)-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)-methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-cyclohexenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclopentenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((4-cyclohexenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-propenyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl-1-propenyl)-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl-1-propenyl)-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1,2-dimethyl-1-propenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclopentyl)methyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(cyclohexyl)methyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-phenyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-benzyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-phenyl)ethyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-phenyl-1-ethenyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

203
Cont

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(4-fluoro)phenyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-chloro)phenyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-methoxy)phenyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-thiazolyl)-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-thiazolyl)methyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-methoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropoxy-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(N,N-dimethylamino)methyl-4-thiazolyl)-methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-propyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(2-methyl)propyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-methyl)propyl-4-thiazolyl)methyl)-amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(1-ethyl)propyl-4-thiazolyl)methyl)amino)-carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)alaninyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Ethyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-2-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)methoxycarbonyl)alaninyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-2-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-2-(N-(N-((2-(N,N-Dimethylamino)-4-thiazolyl)methoxycarbonyl)valinyl)amino)-5-(N-((5-oxazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-methyl-4-oxazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-(3-pentyl)-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((2-isopropyl)-5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-(2-Isopropyl-4-thiazolyl)ethoxy)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-2-(N-(N-((2-(2-Isopropyl-4-thiazolyl)ethoxy)carbonyl)valinyl)amino)-5-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((2-Isopropyl-4-thiazolyl)acetyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclobutyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-ethyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-(1-Propyl)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

✓ (2S,3S,5S)-5-(N-(N-((N-(Isobutyl)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isopropyl-4-oxazolyl)methyl)amino)carbonyl)-L-alaninyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-cyclopentyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-((2-isobutyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Ethyl-N-((2-cyclopentyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-Methyl-N-(2-(2-isopropyl-4-thiazolyl)ethyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane;

(2S,3S,5S)-5-(N-(N-((N-(tert-Butyloxycarbonylamino)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane; and

(2S,3S,5S)-5-(N-(N-((N-(Amino)-N-((2-isopropyl-4-thiazolyl)methyl)amino)carbonyl)valinyl)amino)-2-(N-((5-thiazolyl)methoxycarbonyl)amino)-1,6-diphenyl-3-hydroxyhexane Hydrochloride;

or a pharmaceutically acceptable salt [, ester or prodrug] thereof [, wherein the acyl residue of the ester is (i) R^{*}C(O)- or R^{*}C(S)- wherein R^{*} is hydrogen, C₁-C₆- loweralkyl, halo - C₁-C₆- alkyl,

C₁-C₆- alkoxy, benzyloxy, C₁-C₆- thioalkoxy, benzyl-S-, C₁-C₆- alkoxy - C₁-C₆- alkyl, benzyloxy - C₁-C₆- alkyl, C₁-C₆- thioalkoxy - C₁-C₆- alkyl, benzyl-S- C₁-C₆- alkyl or halo - C₁-C₆- alkoxy,

(ii) R_a-C(R_b)(R_d)-C(O)- or R_a-C(R_b)(R_d)-C(S)- wherein R_b and R_d are independently selected from hydrogen or C₁-C₆- loweralkyl and R_a is -N(R_e)(R_f), -OR_e or -SR_e wherein R_e and R_f are independently selected from hydrogen, C₁-C₆- loweralkyl and halo - C₁-C₆- alkyl,

(iii) R₁₈₀NH(CH₂)₂NHCH₂C(O)- or R₁₈₀NH(CH₂)₂OCH₂C(O)- wherein R₁₈₀ is hydrogen, C₁-C₆- loweralkyl, benzyl, C₃-C₇- cycloalkyl - C₁-C₆- alkyl,

C₁-C₆- alkanoyl or benzoyl, (iv) -C(O)CH₂NR₂₀₀R₂₀₁ wherein the group -NR₂₀₀R₂₀₁ forms a nitrogen-containing heterocycle selected from aziridinyl, azetidiny, pyrrolidinyl, piperidinyl, piperazinyl, morpholinyl and thiomorpholinyl,

(v) H₂O₃P- or (vi) -C(O)CH₂CH₂COOH and wherein the prodrug is a compound wherein a hydroxy group is functionalized with a substituent of the formula -CH(R_g)OC(O)R₁₈₁ or -CH(R_g)OC(S)R₁₈₁ wherein R₁₈₁ is C₁-C₆- loweralkyl, halo - C₁-C₆- alkyl, C₁-C₆- alkoxy, benzyloxy, C₁-C₆- thioalkoxy, benzyl-S- or halo - C₁-C₆- alkoxy and R_g is hydrogen, C₁-C₆- loweralkyl, halo - C₁-C₆- alkyl, C₁-C₆- alkoxycarbonyl, benzyloxycarbonyl, aminocarbonyl, C₁-C₆- alkylaminocarbonyl or di - C₁-C₆- alkylaminocarbonyl] .

REMARKS

This is a preliminary amendment in a File Wrapper Continuation application based on parent application Serial No. 08/158,587, filed December 2, 1993. The parent application received a final rejection on December 28, 1994. Applicants submitted an amendment and response after final rejection on March 2, 1995. The Examiner replied with an Advisory Action on March 14, 1995. In the Advisory Action, the Examiner (1) allowed Claims 29-31, (2) objected to the specification and rejected Claims 1-2 under 35 U.S.C. 112, (3) rejected Claims 1, 2, 8-10, 12, 15 and 32 under 35 U.S.C. 112 and (4) objected to Claims 3-7 and 18-20.

Prior to examination of this File Wrapper Continuation application, Applicants request that the Examiner enter the amendments submitted on March 2, 1995 in the parent application.